

The DTILE flat tiles measure 147x147x8.3 mm (within the given norms)

The DTILE flat tiles conform to the classification UNI EN 1411 GROUP B1B

The DTILE flat tiles conform to the following norms:



EN ISO 10545-2 Dimensional features +/- 0,5%



EN ISO 10545-3 Water absorption ← 3%



EN ISO 10545-4 Flexural strength N/mm2 30+/-50



EN ISO 10545-7 Resistance to abrasion (PEI) 2-4



EN ISO 10545-8 Linear thermal expansion ← 7 MK-1



EN ISO 10545-9 Thermal, shock resistance



EN ISO 10545-11 Crazing resistant



EN ISO 10545-12 Frost resistant



EN ISO 10545-13 resistance to acids and alkalis with the exception of hydrofluoric acid

The floor tiles conform, besides the formentioned norms also to the de antislip norm DIN 51130 TALCUM (color matches with flat tile SNOW) R10 STONE (color matches with flat tile PIGEON) R12

The DTILE flat tiles are packed in a cardboard box containing 34 pieces, 0,765 m2. Net weight +/- 13 kg. A full pallet contains 85 boxes, which is approx. 65 m2



DTILE®

Function tiles




Construction tiles

The DTILE construction tiles and function tiles are so unique that there are no industry norms or standards which comply.

The collection consists of 6 construction tiles and 16 function tiles in twenty colors.

To avoid confusion, we gave every tile and color a name.

When ordering make sure to use the proper names and names of colors (see illustration beneath and illustrations on the following pages).



Colours

01 SNOW	11 SKY	21 DEW	31 IVORY	41 PIGLET
02 PIGEON	12 HERRING	22 FAVA	32 SAND	42 PLUM
03 GRAPHITE	13 NIGHT *	23 SEA	33 ALMOND	43 CHESTNUTT
O4 JET	14 PRUSSIA *	24 GRASS	34 DANDELION	44 FIRE FIGHTER **

Shown colours are indicative. Samples of flat tiles are available. * = temporarily unavailable, ask for the possibilities.

^{*} Except for FIRE FIGHTER all flat tiles are on stock. Construction- and function tiles have a leadtime. Matching our walltiles in colours SNOW and PIGEON we have anti-slip floortiles available (R10 / R12).